

Last login: Fri Aug 28 13:57:06 on ttys000
Rons-MBP:~ ronamadeo\$ sudo nmap -p U:1-65535,T:1-65535 192.168.86.1 -0 -v -v -v -v -v

Starting Nmap 6.49BETA4 (https://nmap.org) at 2015-08-28 14:05 EDT
Initiating ARP Ping Scan at 14:05
Scanning 192.168.86.1 [1 port]
Completed ARP Ping Scan at 14:05, 0.01s elapsed (1 total hosts)
Initiating Parallel DNS resolution of 1 host. at 14:05
Completed Parallel DNS resolution of 1 host. at 14:05, 0.00s elapsed
DNS resolution of 1 IPs took 0.00s. Mode: Async [#: 1, OK: 1, NX: 0, DR: 0, SF: 0, TR: 1, CN: 0]
Initiating SYN Stealth Scan at 14:05
Scanning onhub.here (192.168.86.1) [65535 ports]
Discovered open port 53/tcp on 192.168.86.1
Discovered open port 80/tcp on 192.168.86.1
Discovered open port 443/tcp on 192.168.86.1
Discovered open port 5000/tcp on 192.168.86.1
Completed SYN Stealth Scan at 14:05, 16.06s elapsed (65535 total ports)
Initiating OS detection (try #1) against onhub.here (192.168.86.1)
Nmap scan report for onhub.here (192.168.86.1)
Host is up, received arp-response (0.0025s latency).
Scanned at 2015-08-28 14:05:14 EDT for 17s
Not shown: 65531 closed ports
Reason: 65531 resets
PORT STATE SERVICE REASON
53/tcp open domain syn-ack ttl 64
80/tcp open http syn-ack ttl 64
443/tcp open https syn-ack ttl 64
5000/tcp open upnp syn-ack ttl 64
MAC Address: C4:E9:84:F4:A1:D2 (Tp-link Technologies Co.)
Device type: general purpose
Running: Linux 3.X
OS CPE: cpe:/o:linux:linux_kernel:3
OS details: Linux 3.2 - 3.19
TCP/IP fingerprint:
OS:SCAN(V=6.49BETA4E=4%0D=8/28%0T=53%CT=1%CU=44156%PV=Y%D5=1%DC=D%G=Y%M=C4E
OS:984%TM=55E0A2E%P=x86_64-apple-darwin13.4.0)SEQ(SP=107%GCD=2%ISR=10C%TI=
OS:2%CI=1%II=1%TS=7)OPS(O1=M5B45T11NW7%02=M5B45T11NW7%03=M5B4NN11NW7%04=M5
OS:B45T11NW7%05=M5B45T11NW7%06=M5B45T11)WIN(W1=7120%W2=7120%W3=7120%W4=7120
OS:%W5=7120%W6=7120)ECN(R=Y%DF=Y%T=40%W=7120%0=M5B4NNSNW7%CC=Y%Q=)T1(R=Y%DF
OS:Y%T=40%S=0%A=S+F=AS%RD=0%Q=)T2(R=N)T3(R=N)T4(R=Y%DF=Y%T=40%W=0%S=A%A=Z
OS:%F=R%0=RD=0%Q=)T5(R=Y%DF=Y%T=40%W=0%S=Z%A=S+F=AR%0=RD=0%Q=)T6(R=Y%DF=
OS:Y%T=40%W=0%S=A%A=Z%F=R%0=RD=0%Q=)T7(R=Y%DF=Y%T=40%W=0%S=Z%A=S+F=AR%0=
OS:RD=0%Q=)U1(R=Y%DF=N%T=40%IPL=164%UN=0%RIPL=G%RID=G%RIPCK=G%RUCK=G%RUD=G)
OS:IE(R=Y%DFI=N%T=40%CD=S)

Uptime guess: 0.008 days (since Fri Aug 28 13:53:31 2015)
Network Distance: 1 hop
TCP Sequence Prediction: Difficulty=263 (Good luck!)
IP ID Sequence Generation: All zeros

Read data files from: /usr/local/bin/./share/nmap
OS detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 19.51 seconds
Raw packets sent: 65558 (2.885MB) | Rcvd: 65555 (2.624MB)

Rons-MBP:~ ronamadeo\$ ssh root@192.168.86.1
ssh: connect to host 192.168.86.1 port 22: Connection refused
Rons-MBP:~ ronamadeo\$ ssh root@192.168.86.1
ssh: connect to host 192.168.86.1 port 22: Connection refused
Rons-MBP:~ ronamadeo\$ sudo ssh root@192.168.86.1
ssh: connect to host 192.168.86.1 port 22: Connection refused
Rons-MBP:~ ronamadeo\$ ssh root@192.168.86.1
ssh: connect to host 192.168.86.1 port 22: Connection refused
Rons-MBP:~ ronamadeo\$ ssh admin@192.168.86.1
ssh: connect to host 192.168.86.1 port 22: Connection refused
Rons-MBP:~ ronamadeo\$ ssh root@192.168.86.1:80
ssh: Could not resolve hostname 192.168.86.1:80: nodename nor servname provided, or not known
Rons-MBP:~ ronamadeo\$ ssh root@192.168.86.1:80sudo nmap -p U:1-65535,T:1-65535 192.168.86.1 -0 -sV --allports --version-trace -v -v -v -v -v
ssh: Could not resolve hostname 192.168.86.1:80sudo: nodename nor servname provided, or not known
Rons-MBP:~ ronamadeo\$ sudo nmap -p U:1-65535,T:1-65535 192.168.86.1 -0 -sV --allports --version-trace -v -v -v -v -v
Password:

Starting Nmap 6.49BETA4 (https://nmap.org) at 2015-08-28 14:19 EDT
----- Timing report -----
hostgroups: min 1, max 10000
rtt-timeouts: init 1000, min 100, max 10000
max-scan-delay: TCP 1000, UDP 1000, SCTP 1000
parallelism: min 0, max 0
max-retries: 10, host-timeout: 0
min-rate: 0, max-rate: 0

NSE: Using Lua 5.2.
NSE: Arguments from CLI:
NSE: Loaded 33 scripts for scanning.
Initiating ARP Ping Scan at 14:20
Scanning 192.168.86.1 [1 port]
Packet capture filter (device en0): arp and arp[18:4] = 0x3C15C2B9 and arp[22:2] = 0x1F8C
Completed ARP Ping Scan at 14:20, 0.01s elapsed (1 total hosts)
Overall sending rates: 68.12 packets / s, 2861.23 bytes / s.
mass_rdns: Using DNS server 192.168.86.1
Initiating Parallel DNS resolution of 1 host. at 14:20
mass_rdns: 0.00s 0/1 [#: 1, OK: 0, NX: 0, DR: 0, SF: 0, TR: 1]
Completed Parallel DNS resolution of 1 host. at 14:20, 0.00s elapsed
DNS resolution of 1 IPs took 0.00s. Mode: Async [#: 1, OK: 1, NX: 0, DR: 0, SF: 0, TR: 1, CN: 0]
Initiating SYN Stealth Scan at 14:20
Scanning onhub.here (192.168.86.1) [65535 ports]
Packet capture filter (device en0): dst host 192.168.86.161 and (icmp or icmp6 or ((tcp or udp or sctp) and (src host 192.168.86.1)))
Discovered open port 443/tcp on 192.168.86.1
Discovered open port 80/tcp on 192.168.86.1
Discovered open port 53/tcp on 192.168.86.1

Discovered open port 5000/tcp on 192.168.86.1
Completed SYN Stealth Scan at 14:20, 16.20s elapsed (65535 total ports)
Overall sending rates: 4045.05 packets / s, 177981.99 bytes / s.
Initiating Service scan at 14:20
Overriding exclude ports option! Some undesirable ports may be version scanned!
Scanning 4 services on onhub.here (192.168.86.1)
NSOCK INFO [18.8920s] nsi_new2(): nsi_new (IOD #1)
NSOCK INFO [18.8920s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:53 (IOD #1) EID 8
NSOCK INFO [18.8920s] nsi_new2(): nsi_new (IOD #2)
NSOCK INFO [18.8920s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #2) EID 16
NSOCK INFO [18.8920s] nsi_new2(): nsi_new (IOD #3)
NSOCK INFO [18.8920s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:443 (IOD #3) EID 24
NSOCK INFO [18.8920s] nsi_new2(): nsi_new (IOD #4)
NSOCK INFO [18.8920s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:5000 (IOD #4) EID 32
NSOCK INFO [18.8940s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 8 [192.168.86.1:53]
Service scan sending probe NULL to 192.168.86.1:53 (tcp)
NSOCK INFO [18.8950s] nsock_read(): Read request from IOD #1 [192.168.86.1:53] (timeout: 6000ms) EID 42
NSOCK INFO [18.8950s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 16 [192.168.86.1:80]
Service scan sending probe NULL to 192.168.86.1:80 (tcp)
NSOCK INFO [18.8950s] nsock_read(): Read request from IOD #2 [192.168.86.1:80] (timeout: 6000ms) EID 50
NSOCK INFO [18.8950s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 24 [192.168.86.1:443]
Service scan sending probe NULL to 192.168.86.1:443 (tcp)
NSOCK INFO [18.8950s] nsock_read(): Read request from IOD #3 [192.168.86.1:443] (timeout: 6000ms) EID 58
NSOCK INFO [18.8950s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 32 [192.168.86.1:5000]
Service scan sending probe NULL to 192.168.86.1:5000 (tcp)
NSOCK INFO [18.8950s] nsock_read(): Read request from IOD #4 [192.168.86.1:5000] (timeout: 6000ms) EID 66
NSOCK INFO [18.8990s] nsock_trace_handler_callback(): Callback: READ ERROR [Connection reset by peer (54)] for EID 42 [192.168.86.1:53]
NSOCK INFO [18.8990s] nsi_delete(): nsi_delete (IOD #1)
NSOCK INFO [24.9000s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 50 [192.168.86.1:80]
Service scan sending probe GetRequest to 192.168.86.1:80 (tcp)
NSOCK INFO [24.9000s] nsock_read(): Read request from IOD #2 [192.168.86.1:80] (timeout: 5000ms) EID 82
NSOCK INFO [24.9000s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 58 [192.168.86.1:443]
Service scan sending probe SSLSessionReq to 192.168.86.1:443 (tcp)
NSOCK INFO [24.9000s] nsock_read(): Read request from IOD #3 [192.168.86.1:443] (timeout: 5000ms) EID 98
NSOCK INFO [24.9000s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 66 [192.168.86.1:5000]
Service scan sending probe GenericLines to 192.168.86.1:5000 (tcp)
NSOCK INFO [24.9000s] nsock_read(): Read request from IOD #4 [192.168.86.1:5000] (timeout: 5000ms) EID 114
NSOCK INFO [24.9000s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 75 [192.168.86.1:80]
NSOCK INFO [24.9000s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 91 [192.168.86.1:443]
NSOCK INFO [24.9000s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 107 [192.168.86.1:5000]
NSOCK INFO [24.9080s] nsock_trace_handler_callback(): Callback: READ SUCCESS for EID 98 [192.168.86.1:443] (79 bytes):J...F..U..g..b...p....c^X.
..|!~.'.... .V.p.....0.....i.....
Service scan match (Probe SSLSessionReq matched with SSLSessionReq line 11658): 192.168.86.1:443 is ssl. Version: |OpenSSL|SSLv3|
NSOCK INFO [24.9080s] nsi_delete(): nsi_delete (IOD #3)
NSOCK INFO [24.9080s] nsi_new2(): nsi_new (IOD #5)
NSOCK INFO [24.9090s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #5) EID 121
NSOCK INFO [24.9110s] nsock_trace_handler_callback(): Callback: READ SUCCESS for EID 114 [192.168.86.1:5000] (300 bytes)
NSOCK INFO [24.9130s] nsock_read(): Read request from IOD #4 [192.168.86.1:5000] (timeout: 4987ms) EID 130
NSOCK INFO [24.9130s] nsock_trace_handler_callback(): Callback: READ EOF for EID 130 [192.168.86.1:5000]
NSOCK INFO [24.9130s] nsi_delete(): nsi_delete (IOD #4)
NSOCK INFO [24.9130s] nsi_new2(): nsi_new (IOD #6)
NSOCK INFO [24.9220s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:5000 (IOD #6) EID 136
NSOCK INFO [24.9240s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 136 [192.168.86.1:5000]
Service scan sending probe GetRequest to 192.168.86.1:5000 (tcp)
NSOCK INFO [24.9240s] nsock_read(): Read request from IOD #6 [192.168.86.1:5000] (timeout: 5000ms) EID 154
NSOCK INFO [24.9240s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 147 [192.168.86.1:5000]
NSOCK INFO [24.9270s] nsock_trace_handler_callback(): Callback: READ SUCCESS for EID 154 [192.168.86.1:5000] (287 bytes)
NSOCK INFO [24.9350s] nsock_read(): Read request from IOD #6 [192.168.86.1:5000] (timeout: 4990ms) EID 162
NSOCK INFO [24.9350s] nsock_trace_handler_callback(): Callback: READ EOF for EID 162 [192.168.86.1:5000]
NSOCK INFO [24.9350s] nsi_delete(): nsi_delete (IOD #6)
NSOCK INFO [24.9350s] nsi_new2(): nsi_new (IOD #7)
NSOCK INFO [24.9370s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:5000 (IOD #7) EID 168
NSOCK INFO [24.9400s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 168 [192.168.86.1:5000]
Service scan sending probe RTSPRequest to 192.168.86.1:5000 (tcp)
NSOCK INFO [24.9400s] nsock_read(): Read request from IOD #7 [192.168.86.1:5000] (timeout: 5000ms) EID 186
NSOCK INFO [24.9400s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 179 [192.168.86.1:5000]
NSOCK INFO [24.9430s] nsock_trace_handler_callback(): Callback: READ SUCCESS for EID 186 [192.168.86.1:5000] (308 bytes)
Service scan soft match (Probe RTSPRequest matched with GetRequest line 10194): 192.168.86.1:5000 is rtsp
NSOCK INFO [24.9450s] nsock_read(): Read request from IOD #7 [192.168.86.1:5000] (timeout: 4996ms) EID 194
NSOCK INFO [24.9450s] nsock_trace_handler_callback(): Callback: READ EOF for EID 194 [192.168.86.1:5000]
NSOCK INFO [24.9450s] nsi_delete(): nsi_delete (IOD #7)
NSOCK INFO [24.9450s] nsi_new2(): nsi_new (IOD #8)
NSOCK INFO [24.9450s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:5000 (IOD #8) EID 200
NSOCK INFO [24.9480s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 200 [192.168.86.1:5000]
Service scan sending probe DNSVersionBindReq to 192.168.86.1:5000 (tcp)
NSOCK INFO [24.9480s] nsock_read(): Read request from IOD #8 [192.168.86.1:5000] (timeout: 5000ms) EID 218
NSOCK INFO [24.9480s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 211 [192.168.86.1:5000]
NSOCK INFO [24.9530s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 121 [192.168.86.1:443]
Service scan sending probe NULL to 192.168.86.1:443 (tcp)
NSOCK INFO [24.9530s] nsock_read(): Read request from IOD #5 [192.168.86.1:443] (timeout: 6000ms) EID 226
NSOCK INFO [24.9860s] nsock_trace_handler_callback(): Callback: READ SUCCESS for EID 82 [192.168.86.1:80] (5792 bytes)
NSOCK INFO [24.9860s] nsi_delete(): nsi_delete (IOD #2)
NSOCK INFO [24.9860s] nsi_new2(): nsi_new (IOD #9)
NSOCK INFO [25.0610s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #9) EID 232
NSOCK INFO [25.0630s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 232 [192.168.86.1:80]
Service scan sending probe HTTPOptions to 192.168.86.1:80 (tcp)
NSOCK INFO [25.0630s] nsock_read(): Read request from IOD #9 [192.168.86.1:80] (timeout: 5000ms) EID 250
NSOCK INFO [25.0630s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 243 [192.168.86.1:80]
NSOCK INFO [25.0660s] nsock_trace_handler_callback(): Callback: READ SUCCESS for EID 250 [192.168.86.1:80] (117 bytes)
NSOCK INFO [25.0700s] nsock_read(): Read request from IOD #9 [192.168.86.1:80] (timeout: 4993ms) EID 258
NSOCK INFO [25.0700s] nsock_trace_handler_callback(): Callback: READ EOF for EID 258 [192.168.86.1:80]
NSOCK INFO [25.0700s] nsi_delete(): nsi_delete (IOD #9)
NSOCK INFO [25.0700s] nsi_new2(): nsi_new (IOD #10)
NSOCK INFO [25.0700s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #10) EID 264
NSOCK INFO [25.0730s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 264 [192.168.86.1:80]
Service scan sending probe RTSPRequest to 192.168.86.1:80 (tcp)
NSOCK INFO [25.0730s] nsock_read(): Read request from IOD #10 [192.168.86.1:80] (timeout: 5000ms) EID 282
NSOCK INFO [25.0730s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 275 [192.168.86.1:80]
NSOCK INFO [25.0770s] nsock_trace_handler_callback(): Callback: READ SUCCESS for EID 282 [192.168.86.1:80] (117 bytes)

NSOCK INFO [25.0810s] nsock_read(): Read request from IOD #10 [192.168.86.1:80] (timeout: 4992ms) EID 290
NSOCK INFO [25.0810s] nsock_trace_handler_callback(): Callback: READ EOF for EID 290 [192.168.86.1:80]
NSOCK INFO [25.0810s] nsock_delete(): nsock_delete (IOD #10)
NSOCK INFO [25.0810s] nsock_new2(): nsock_new (IOD #11)
NSOCK INFO [25.0810s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #11) EID 296
NSOCK INFO [25.0840s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 296 [192.168.86.1:80]
Service scan sending probe X11Probe to 192.168.86.1:80 (tcp)
NSOCK INFO [25.0840s] nsock_read(): Read request from IOD #11 [192.168.86.1:80] (timeout: 5000ms) EID 314
NSOCK INFO [25.0840s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 307 [192.168.86.1:80]
NSOCK INFO [29.9490s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 218 [192.168.86.1:5000]
NSOCK INFO [29.9490s] nsock_delete(): nsock_delete (IOD #8)
NSOCK INFO [29.9490s] nsock_new2(): nsock_new (IOD #12)
NSOCK INFO [29.9490s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:5000 (IOD #12) EID 320
NSOCK INFO [29.9530s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 320 [192.168.86.1:5000]
Service scan sending probe SMBProgNeg to 192.168.86.1:5000 (tcp)
NSOCK INFO [29.9530s] nsock_read(): Read request from IOD #12 [192.168.86.1:5000] (timeout: 5000ms) EID 338
NSOCK INFO [29.9530s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 331 [192.168.86.1:5000]
NSOCK INFO [30.0850s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 314 [192.168.86.1:80]
NSOCK INFO [30.0850s] nsock_delete(): nsock_delete (IOD #11)
NSOCK INFO [30.0850s] nsock_new2(): nsock_new (IOD #13)
NSOCK INFO [30.0850s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #13) EID 344
NSOCK INFO [30.0880s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 344 [192.168.86.1:80]
Service scan sending probe Four0hFourRequest to 192.168.86.1:80 (tcp)
NSOCK INFO [30.0880s] nsock_read(): Read request from IOD #13 [192.168.86.1:80] (timeout: 5000ms) EID 362
NSOCK INFO [30.0880s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 355 [192.168.86.1:80]
NSOCK INFO [30.1050s] nsock_trace_handler_callback(): Callback: READ SUCCESS for EID 362 [192.168.86.1:80] (91 bytes)
NSOCK INFO [30.1100s] nsock_read(): Read request from IOD #13 [192.168.86.1:80] (timeout: 4979ms) EID 370
NSOCK INFO [30.1100s] nsock_trace_handler_callback(): Callback: READ EOF for EID 370 [192.168.86.1:80]
NSOCK INFO [30.1100s] nsock_delete(): nsock_delete (IOD #13)
NSOCK INFO [30.1100s] nsock_new2(): nsock_new (IOD #14)
NSOCK INFO [30.1100s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #14) EID 376
NSOCK INFO [30.1120s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 376 [192.168.86.1:80]
Service scan sending probe GenericLines to 192.168.86.1:80 (tcp)
NSOCK INFO [30.1120s] nsock_read(): Read request from IOD #14 [192.168.86.1:80] (timeout: 5000ms) EID 394
NSOCK INFO [30.1120s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 387 [192.168.86.1:80]
NSOCK INFO [30.1150s] nsock_trace_handler_callback(): Callback: READ EOF for EID 394 [192.168.86.1:80]
NSOCK INFO [30.1150s] nsock_delete(): nsock_delete (IOD #14)
NSOCK INFO [30.1150s] nsock_new2(): nsock_new (IOD #15)
NSOCK INFO [30.1150s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #15) EID 400
NSOCK INFO [30.1180s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 400 [192.168.86.1:80]
Service scan sending probe RPCCheck to 192.168.86.1:80 (tcp)
NSOCK INFO [30.1180s] nsock_read(): Read request from IOD #15 [192.168.86.1:80] (timeout: 5000ms) EID 418
NSOCK INFO [30.1180s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 411 [192.168.86.1:80]
NSOCK INFO [30.9550s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 226 [192.168.86.1:443]
Service scan sending probe GetRequest to 192.168.86.1:443 (tcp)
NSOCK INFO [30.9550s] nsock_read(): Read request from IOD #5 [192.168.86.1:443] (timeout: 5000ms) EID 434
NSOCK INFO [30.9550s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 427 [192.168.86.1:443]
NSOCK INFO [30.9600s] nsock_trace_handler_callback(): Callback: READ SUCCESS for EID 434 [192.168.86.1:443] [EOF](117 bytes)
NSOCK INFO [30.9650s] nsock_read(): Read request from IOD #5 [192.168.86.1:443] (timeout: 4991ms) EID 442
NSOCK INFO [30.9650s] nsock_trace_handler_callback(): Callback: READ EOF for EID 442 [192.168.86.1:443]
NSOCK INFO [30.9650s] nsock_delete(): nsock_delete (IOD #5)
NSOCK INFO [30.9650s] nsock_new2(): nsock_new (IOD #16)
NSOCK INFO [30.9650s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #16) EID 449
NSOCK INFO [30.9850s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 449 [192.168.86.1:443]
Service scan sending probe HTTPOptions to 192.168.86.1:443 (tcp)
NSOCK INFO [30.9850s] nsock_read(): Read request from IOD #16 [192.168.86.1:443] (timeout: 5000ms) EID 466
NSOCK INFO [30.9850s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 459 [192.168.86.1:443]
NSOCK INFO [30.9890s] nsock_trace_handler_callback(): Callback: READ SUCCESS for EID 466 [192.168.86.1:443] [EOF](117 bytes)
NSOCK INFO [30.9940s] nsock_read(): Read request from IOD #16 [192.168.86.1:443] (timeout: 4991ms) EID 474
NSOCK INFO [30.9940s] nsock_trace_handler_callback(): Callback: READ EOF for EID 474 [192.168.86.1:443]
NSOCK INFO [30.9940s] nsock_delete(): nsock_delete (IOD #16)
NSOCK INFO [30.9940s] nsock_new2(): nsock_new (IOD #17)
NSOCK INFO [30.9950s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #17) EID 481
NSOCK INFO [31.0120s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 481 [192.168.86.1:443]
Service scan sending probe Four0hFourRequest to 192.168.86.1:443 (tcp)
NSOCK INFO [31.0120s] nsock_read(): Read request from IOD #17 [192.168.86.1:443] (timeout: 5000ms) EID 498
NSOCK INFO [31.0120s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 491 [192.168.86.1:443]
NSOCK INFO [31.0150s] nsock_trace_handler_callback(): Callback: READ SUCCESS for EID 498 [192.168.86.1:443] [EOF](117 bytes)
NSOCK INFO [31.0190s] nsock_read(): Read request from IOD #17 [192.168.86.1:443] (timeout: 4993ms) EID 506
NSOCK INFO [31.0200s] nsock_trace_handler_callback(): Callback: READ EOF for EID 506 [192.168.86.1:443]
NSOCK INFO [31.0200s] nsock_delete(): nsock_delete (IOD #17)
NSOCK INFO [31.0200s] nsock_new2(): nsock_new (IOD #18)
NSOCK INFO [31.0200s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #18) EID 513
NSOCK INFO [31.0380s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 513 [192.168.86.1:443]
Service scan sending probe vmware-esx to 192.168.86.1:443 (tcp)
NSOCK INFO [31.0390s] nsock_read(): Read request from IOD #18 [192.168.86.1:443] (timeout: 5000ms) EID 530
NSOCK INFO [31.0390s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 523 [192.168.86.1:443]
NSOCK INFO [34.9540s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 338 [192.168.86.1:5000]
NSOCK INFO [34.9540s] nsock_delete(): nsock_delete (IOD #12)
NSOCK INFO [34.9540s] nsock_new2(): nsock_new (IOD #19)
NSOCK INFO [34.9540s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:5000 (IOD #19) EID 536
NSOCK INFO [34.9570s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 536 [192.168.86.1:5000]
Service scan sending probe ZendJavaBridge to 192.168.86.1:5000 (tcp)
NSOCK INFO [34.9570s] nsock_read(): Read request from IOD #19 [192.168.86.1:5000] (timeout: 5000ms) EID 554
NSOCK INFO [34.9570s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 547 [192.168.86.1:5000]
NSOCK INFO [35.1180s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 418 [192.168.86.1:80]
NSOCK INFO [35.1180s] nsock_delete(): nsock_delete (IOD #15)
NSOCK INFO [35.1180s] nsock_new2(): nsock_new (IOD #20)
NSOCK INFO [35.1190s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #20) EID 560
NSOCK INFO [35.1220s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 560 [192.168.86.1:80]
Service scan sending probe DNSVersionBindReq to 192.168.86.1:80 (tcp)
NSOCK INFO [35.1220s] nsock_read(): Read request from IOD #20 [192.168.86.1:80] (timeout: 5000ms) EID 578
NSOCK INFO [35.1220s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 571 [192.168.86.1:80]
NSOCK INFO [36.0400s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 530 [192.168.86.1:443]
NSOCK INFO [36.0400s] nsock_delete(): nsock_delete (IOD #18)
NSOCK INFO [36.0400s] nsock_new2(): nsock_new (IOD #21)
NSOCK INFO [36.0400s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #21) EID 585
NSOCK INFO [36.0660s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 585 [192.168.86.1:443]
Service scan sending probe tor-versions to 192.168.86.1:443 (tcp)

NSOCK INFO [36.0660s] nsock_read(): Read request from IOD #21 [192.168.86.1:443] (timeout: 5000ms) EID 602
NSOCK INFO [36.0660s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 595 [192.168.86.1:443]
NSOCK INFO [39.9590s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 554 [192.168.86.1:5000]
NSOCK INFO [39.9590s] nsi_delete(): nsi_delete (IOD #19)
NSOCK INFO [39.9590s] nsi_new2(): nsi_new (IOD #22)
NSOCK INFO [39.9590s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:5000 (IOD #22) EID 608
NSOCK INFO [39.9630s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 608 [192.168.86.1:5000]
Service scan sending probe HTTPOptions to 192.168.86.1:5000 (tcp)
NSOCK INFO [39.9630s] nsock_read(): Read request from IOD #22 [192.168.86.1:5000] (timeout: 5000ms) EID 626
NSOCK INFO [39.9630s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 619 [192.168.86.1:5000]
NSOCK INFO [39.9680s] nsock_trace_handler_callback(): Callback: READ SUCCESS for EID 626 [192.168.86.1:5000] (308 bytes)
NSOCK INFO [39.9750s] nsock_read(): Read request from IOD #22 [192.168.86.1:5000] (timeout: 4988ms) EID 634
NSOCK INFO [39.9750s] nsock_trace_handler_callback(): Callback: READ EOF for EID 634 [192.168.86.1:5000]
NSOCK INFO [39.9750s] nsi_delete(): nsi_delete (IOD #22)
NSOCK INFO [39.9750s] nsi_new2(): nsi_new (IOD #23)
NSOCK INFO [39.9750s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:5000 (IOD #23) EID 640
NSOCK INFO [39.9780s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 640 [192.168.86.1:5000]
Service scan sending probe Four0hFourRequest to 192.168.86.1:5000 (tcp)
NSOCK INFO [39.9780s] nsock_read(): Read request from IOD #23 [192.168.86.1:5000] (timeout: 5000ms) EID 658
NSOCK INFO [39.9780s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 651 [192.168.86.1:5000]
NSOCK INFO [39.9820s] nsock_trace_handler_callback(): Callback: READ SUCCESS for EID 658 [192.168.86.1:5000] (287 bytes)
NSOCK INFO [39.9890s] nsock_read(): Read request from IOD #23 [192.168.86.1:5000] (timeout: 4990ms) EID 666
NSOCK INFO [39.9890s] nsock_trace_handler_callback(): Callback: READ EOF for EID 666 [192.168.86.1:5000]
NSOCK INFO [39.9890s] nsi_delete(): nsi_delete (IOD #23)
NSOCK INFO [39.9890s] nsi_new2(): nsi_new (IOD #24)
NSOCK INFO [39.9890s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:5000 (IOD #24) EID 672
NSOCK INFO [39.9910s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 672 [192.168.86.1:5000]
Service scan sending probe SIPOptions to 192.168.86.1:5000 (tcp)
NSOCK INFO [39.9910s] nsock_read(): Read request from IOD #24 [192.168.86.1:5000] (timeout: 7500ms) EID 690
NSOCK INFO [39.9910s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 683 [192.168.86.1:5000]
NSOCK INFO [39.9950s] nsock_trace_handler_callback(): Callback: READ SUCCESS for EID 690 [192.168.86.1:5000] (307 bytes)
WARNING: Service 192.168.86.1:5000 had already soft-matched rtsp, but now soft-matched sip; ignoring second value
NSOCK INFO [39.9960s] nsock_read(): Read request from IOD #24 [192.168.86.1:5000] (timeout: 7496ms) EID 698
NSOCK INFO [39.9960s] nsock_trace_handler_callback(): Callback: READ EOF for EID 698 [192.168.86.1:5000]
NSOCK INFO [39.9960s] nsi_delete(): nsi_delete (IOD #24)
NSOCK INFO [40.1220s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 578 [192.168.86.1:80]
NSOCK INFO [40.1220s] nsi_delete(): nsi_delete (IOD #20)
NSOCK INFO [40.1220s] nsi_new2(): nsi_new (IOD #25)
NSOCK INFO [40.1220s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #25) EID 704
NSOCK INFO [40.1250s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 704 [192.168.86.1:80]
Service scan sending probe DNSStatusRequest to 192.168.86.1:80 (tcp)
NSOCK INFO [40.1250s] nsock_read(): Read request from IOD #25 [192.168.86.1:80] (timeout: 5000ms) EID 722
NSOCK INFO [40.1250s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 715 [192.168.86.1:80]
NSOCK INFO [41.0660s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 602 [192.168.86.1:443]
NSOCK INFO [41.0660s] nsi_delete(): nsi_delete (IOD #21)
NSOCK INFO [41.0660s] nsi_new2(): nsi_new (IOD #26)
NSOCK INFO [41.0670s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #26) EID 729
NSOCK INFO [41.0930s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 729 [192.168.86.1:443]
Service scan sending probe GenericLines to 192.168.86.1:443 (tcp)
NSOCK INFO [41.0930s] nsock_read(): Read request from IOD #26 [192.168.86.1:443] (timeout: 5000ms) EID 746
NSOCK INFO [41.0930s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 739 [192.168.86.1:443]
NSOCK INFO [41.0970s] nsock_trace_handler_callback(): Callback: READ EOF for EID 746 [192.168.86.1:443]
NSOCK INFO [41.0970s] nsi_delete(): nsi_delete (IOD #26)
NSOCK INFO [41.0970s] nsi_new2(): nsi_new (IOD #27)
NSOCK INFO [41.0970s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #27) EID 753
NSOCK INFO [41.1240s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 753 [192.168.86.1:443]
Service scan sending probe RTPSPRequest to 192.168.86.1:443 (tcp)
NSOCK INFO [41.1240s] nsock_read(): Read request from IOD #27 [192.168.86.1:443] (timeout: 5000ms) EID 770
NSOCK INFO [41.1240s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 763 [192.168.86.1:443]
NSOCK INFO [41.1290s] nsock_trace_handler_callback(): Callback: READ SUCCESS for EID 770 [192.168.86.1:443] [EOF](117 bytes)
NSOCK INFO [41.1340s] nsock_read(): Read request from IOD #27 [192.168.86.1:443] (timeout: 4991ms) EID 778
NSOCK INFO [41.1340s] nsock_trace_handler_callback(): Callback: READ EOF for EID 778 [192.168.86.1:443]
NSOCK INFO [41.1340s] nsi_delete(): nsi_delete (IOD #27)
NSOCK INFO [41.1340s] nsi_new2(): nsi_new (IOD #28)
NSOCK INFO [41.1350s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #28) EID 785
NSOCK INFO [41.1600s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 785 [192.168.86.1:443]
Service scan sending probe RPCCheck to 192.168.86.1:443 (tcp)
NSOCK INFO [41.1610s] nsock_read(): Read request from IOD #28 [192.168.86.1:443] (timeout: 5000ms) EID 802
NSOCK INFO [41.1610s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 795 [192.168.86.1:443]
NSOCK INFO [45.1270s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 722 [192.168.86.1:80]
NSOCK INFO [45.1270s] nsi_delete(): nsi_delete (IOD #25)
NSOCK INFO [45.1270s] nsi_new2(): nsi_new (IOD #29)
NSOCK INFO [45.1270s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #29) EID 808
NSOCK INFO [45.1300s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 808 [192.168.86.1:80]
Service scan sending probe Help to 192.168.86.1:80 (tcp)
NSOCK INFO [45.1300s] nsock_read(): Read request from IOD #29 [192.168.86.1:80] (timeout: 7500ms) EID 826
NSOCK INFO [45.1300s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 819 [192.168.86.1:80]
NSOCK INFO [45.1330s] nsock_trace_handler_callback(): Callback: READ EOF for EID 826 [192.168.86.1:80]
NSOCK INFO [45.1330s] nsi_delete(): nsi_delete (IOD #29)
NSOCK INFO [45.1330s] nsi_new2(): nsi_new (IOD #30)
NSOCK INFO [45.1330s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #30) EID 832
NSOCK INFO [45.1360s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 832 [192.168.86.1:80]
Service scan sending probe SSLSessionReq to 192.168.86.1:80 (tcp)
NSOCK INFO [45.1360s] nsock_read(): Read request from IOD #30 [192.168.86.1:80] (timeout: 5000ms) EID 850
NSOCK INFO [45.1360s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 843 [192.168.86.1:80]
NSOCK INFO [45.1390s] nsock_trace_handler_callback(): Callback: READ EOF for EID 850 [192.168.86.1:80]
NSOCK INFO [45.1390s] nsi_delete(): nsi_delete (IOD #30)
NSOCK INFO [45.1390s] nsi_new2(): nsi_new (IOD #31)
NSOCK INFO [45.1390s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #31) EID 856
NSOCK INFO [45.1420s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 856 [192.168.86.1:80]
Service scan sending probe TLSSessionReq to 192.168.86.1:80 (tcp)
NSOCK INFO [45.1420s] nsock_read(): Read request from IOD #31 [192.168.86.1:80] (timeout: 5000ms) EID 874
NSOCK INFO [45.1420s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 867 [192.168.86.1:80]
NSOCK INFO [45.1450s] nsock_trace_handler_callback(): Callback: READ EOF for EID 874 [192.168.86.1:80]
NSOCK INFO [45.1450s] nsi_delete(): nsi_delete (IOD #31)
NSOCK INFO [45.1450s] nsi_new2(): nsi_new (IOD #32)
NSOCK INFO [45.1450s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #32) EID 880
NSOCK INFO [45.1470s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 880 [192.168.86.1:80]
Service scan sending probe Kerberos to 192.168.86.1:80 (tcp)

NSOCK INFO [45.1470s] nsock_read(): Read request from IOD #32 [192.168.86.1:80] (timeout: 5000ms) EID 898
NSOCK INFO [45.1470s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 891 [192.168.86.1:80]
NSOCK INFO [45.1500s] nsock_trace_handler_callback(): Callback: READ EOF for EID 898 [192.168.86.1:80]
NSOCK INFO [45.1500s] nsi_delete(): nsi_delete (IOD #32)
NSOCK INFO [45.1500s] nsi_new2(): nsi_new (IOD #33)
NSOCK INFO [45.1500s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #33) EID 904
NSOCK INFO [45.1530s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 904 [192.168.86.1:80]
Service scan sending probe SMBProgNeg to 192.168.86.1:80 (tcp)
NSOCK INFO [45.1530s] nsock_read(): Read request from IOD #33 [192.168.86.1:80] (timeout: 5000ms) EID 922
NSOCK INFO [45.1530s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 915 [192.168.86.1:80]
NSOCK INFO [46.1610s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 802 [192.168.86.1:443]
NSOCK INFO [46.1610s] nsi_delete(): nsi_delete (IOD #28)
NSOCK INFO [46.1610s] nsi_new2(): nsi_new (IOD #34)
NSOCK INFO [46.1620s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #34) EID 929
NSOCK INFO [46.1880s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 929 [192.168.86.1:443]
Service scan sending probe DNSVersionBindReq to 192.168.86.1:443 (tcp)
NSOCK INFO [46.1890s] nsock_read(): Read request from IOD #34 [192.168.86.1:443] (timeout: 5000ms) EID 946
NSOCK INFO [46.1890s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 939 [192.168.86.1:443]
NSOCK INFO [50.1540s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 922 [192.168.86.1:80]
NSOCK INFO [50.1540s] nsi_delete(): nsi_delete (IOD #33)
NSOCK INFO [50.1540s] nsi_new2(): nsi_new (IOD #35)
NSOCK INFO [50.1540s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #35) EID 952
NSOCK INFO [50.1580s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 952 [192.168.86.1:80]
Service scan sending probe LPDString to 192.168.86.1:80 (tcp)
NSOCK INFO [50.1580s] nsock_read(): Read request from IOD #35 [192.168.86.1:80] (timeout: 5000ms) EID 970
NSOCK INFO [50.1580s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 963 [192.168.86.1:80]
NSOCK INFO [50.1620s] nsock_trace_handler_callback(): Callback: READ EOF for EID 970 [192.168.86.1:80]
NSOCK INFO [50.1620s] nsi_delete(): nsi_delete (IOD #35)
NSOCK INFO [50.1620s] nsi_new2(): nsi_new (IOD #36)
NSOCK INFO [50.1620s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #36) EID 976
NSOCK INFO [50.1650s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 976 [192.168.86.1:80]
Service scan sending probe LDAPBindReq to 192.168.86.1:80 (tcp)
NSOCK INFO [50.1650s] nsock_read(): Read request from IOD #36 [192.168.86.1:80] (timeout: 5000ms) EID 994
NSOCK INFO [50.1650s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 987 [192.168.86.1:80]
NSOCK INFO [51.1890s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 946 [192.168.86.1:443]
NSOCK INFO [51.1890s] nsi_delete(): nsi_delete (IOD #34)
NSOCK INFO [51.1890s] nsi_new2(): nsi_new (IOD #37)
NSOCK INFO [51.1900s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #37) EID 1001
NSOCK INFO [51.2140s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 1001 [192.168.86.1:443]
Service scan sending probe DNSStatusRequest to 192.168.86.1:443 (tcp)
NSOCK INFO [51.2150s] nsock_read(): Read request from IOD #37 [192.168.86.1:443] (timeout: 5000ms) EID 1018
NSOCK INFO [51.2150s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1011 [192.168.86.1:443]
NSOCK INFO [55.1670s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 994 [192.168.86.1:80]
NSOCK INFO [55.1670s] nsi_delete(): nsi_delete (IOD #36)
NSOCK INFO [55.1670s] nsi_new2(): nsi_new (IOD #38)
NSOCK INFO [55.1670s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #38) EID 1024
NSOCK INFO [55.1700s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 1024 [192.168.86.1:80]
Service scan sending probe SIPOptions to 192.168.86.1:80 (tcp)
NSOCK INFO [55.1700s] nsock_read(): Read request from IOD #38 [192.168.86.1:80] (timeout: 7500ms) EID 1042
NSOCK INFO [55.1700s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1035 [192.168.86.1:80]
NSOCK INFO [55.1760s] nsock_trace_handler_callback(): Callback: READ SUCCESS for EID 1042 [192.168.86.1:80] (117 bytes)
NSOCK INFO [55.1800s] nsock_read(): Read request from IOD #38 [192.168.86.1:80] (timeout: 7491ms) EID 1050
NSOCK INFO [55.1800s] nsock_trace_handler_callback(): Callback: READ EOF for EID 1050 [192.168.86.1:80]
NSOCK INFO [55.1800s] nsi_delete(): nsi_delete (IOD #38)
NSOCK INFO [55.1800s] nsi_new2(): nsi_new (IOD #39)
NSOCK INFO [55.1800s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #39) EID 1056
NSOCK INFO [55.1820s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 1056 [192.168.86.1:80]
Service scan sending probe LANdesk-RC to 192.168.86.1:80 (tcp)
NSOCK INFO [55.1820s] nsock_read(): Read request from IOD #39 [192.168.86.1:80] (timeout: 5000ms) EID 1074
NSOCK INFO [55.1820s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1067 [192.168.86.1:80]
NSOCK INFO [56.2160s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 1018 [192.168.86.1:443]
NSOCK INFO [56.2160s] nsi_delete(): nsi_delete (IOD #37)
NSOCK INFO [56.2160s] nsi_new2(): nsi_new (IOD #40)
NSOCK INFO [56.2160s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #40) EID 1081
NSOCK INFO [56.2420s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 1081 [192.168.86.1:443]
Service scan sending probe Help to 192.168.86.1:443 (tcp)
NSOCK INFO [56.2430s] nsock_read(): Read request from IOD #40 [192.168.86.1:443] (timeout: 7500ms) EID 1098
NSOCK INFO [56.2430s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1091 [192.168.86.1:443]
NSOCK INFO [56.2460s] nsock_trace_handler_callback(): Callback: READ EOF for EID 1098 [192.168.86.1:443]
NSOCK INFO [56.2460s] nsi_delete(): nsi_delete (IOD #40)
NSOCK INFO [56.2460s] nsi_new2(): nsi_new (IOD #41)
NSOCK INFO [56.2460s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #41) EID 1105
NSOCK INFO [56.2710s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 1105 [192.168.86.1:443]
Service scan sending probe SSLSessionReq to 192.168.86.1:443 (tcp)
NSOCK INFO [56.2710s] nsock_read(): Read request from IOD #41 [192.168.86.1:443] (timeout: 5000ms) EID 1122
NSOCK INFO [56.2710s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1115 [192.168.86.1:443]
NSOCK INFO [56.2740s] nsock_trace_handler_callback(): Callback: READ EOF for EID 1122 [192.168.86.1:443]
NSOCK INFO [56.2740s] nsi_delete(): nsi_delete (IOD #41)
NSOCK INFO [56.2740s] nsi_new2(): nsi_new (IOD #42)
NSOCK INFO [56.2740s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #42) EID 1129
NSOCK INFO [56.2880s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 1129 [192.168.86.1:443]
Service scan sending probe TLSSessionReq to 192.168.86.1:443 (tcp)
NSOCK INFO [56.2880s] nsock_read(): Read request from IOD #42 [192.168.86.1:443] (timeout: 5000ms) EID 1146
NSOCK INFO [56.2880s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1139 [192.168.86.1:443]
NSOCK INFO [56.2910s] nsock_trace_handler_callback(): Callback: READ EOF for EID 1146 [192.168.86.1:443]
NSOCK INFO [56.2910s] nsi_delete(): nsi_delete (IOD #42)
NSOCK INFO [56.2910s] nsi_new2(): nsi_new (IOD #43)
NSOCK INFO [56.2920s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #43) EID 1153
NSOCK INFO [56.3080s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 1153 [192.168.86.1:443]
Service scan sending probe Kerberos to 192.168.86.1:443 (tcp)
NSOCK INFO [56.3080s] nsock_read(): Read request from IOD #43 [192.168.86.1:443] (timeout: 5000ms) EID 1170
NSOCK INFO [56.3080s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1163 [192.168.86.1:443]
NSOCK INFO [56.3100s] nsock_trace_handler_callback(): Callback: READ EOF for EID 1170 [192.168.86.1:443]
NSOCK INFO [56.3100s] nsi_delete(): nsi_delete (IOD #43)
NSOCK INFO [56.3100s] nsi_new2(): nsi_new (IOD #44)
NSOCK INFO [56.3100s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #44) EID 1177
NSOCK INFO [56.3260s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 1177 [192.168.86.1:443]
Service scan sending probe SMBProgNeg to 192.168.86.1:443 (tcp)
NSOCK INFO [56.3260s] nsock_read(): Read request from IOD #44 [192.168.86.1:443] (timeout: 5000ms) EID 1194

NSOCK INFO [56.3260s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1187 [192.168.86.1:443]
NSOCK INFO [60.1830s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 1074 [192.168.86.1:80]
NSOCK INFO [60.1830s] nsock_delete(): nsock_delete (IOD #39)
NSOCK INFO [60.1830s] nsock_new2(): nsock_new (IOD #45)
NSOCK INFO [60.1830s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #45) EID 1200
NSOCK INFO [60.1860s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 1200 [192.168.86.1:80]
Service scan sending probe TerminalServer to 192.168.86.1:80 (tcp)
NSOCK INFO [60.1860s] nsock_read(): Read request from IOD #45 [192.168.86.1:80] (timeout: 5000ms) EID 1218
NSOCK INFO [60.1860s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1211 [192.168.86.1:80]
NSOCK INFO [61.3260s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 1194 [192.168.86.1:443]
NSOCK INFO [61.3260s] nsock_delete(): nsock_delete (IOD #44)
NSOCK INFO [61.3260s] nsock_new2(): nsock_new (IOD #46)
NSOCK INFO [61.3270s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #46) EID 1225
NSOCK INFO [61.3520s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 1225 [192.168.86.1:443]
Service scan sending probe X11Probe to 192.168.86.1:443 (tcp)
NSOCK INFO [61.3520s] nsock_read(): Read request from IOD #46 [192.168.86.1:443] (timeout: 5000ms) EID 1242
NSOCK INFO [61.3520s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1235 [192.168.86.1:443]
NSOCK INFO [65.1880s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 1218 [192.168.86.1:80]
NSOCK INFO [65.1880s] nsock_delete(): nsock_delete (IOD #45)
NSOCK INFO [65.1880s] nsock_new2(): nsock_new (IOD #47)
NSOCK INFO [65.1880s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #47) EID 1248
NSOCK INFO [65.1910s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 1248 [192.168.86.1:80]
Service scan sending probe NCP to 192.168.86.1:80 (tcp)
NSOCK INFO [65.1920s] nsock_read(): Read request from IOD #47 [192.168.86.1:80] (timeout: 5000ms) EID 1266
NSOCK INFO [65.1920s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1259 [192.168.86.1:80]
NSOCK INFO [66.3530s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 1242 [192.168.86.1:443]
NSOCK INFO [66.3530s] nsock_delete(): nsock_delete (IOD #46)
NSOCK INFO [66.3530s] nsock_new2(): nsock_new (IOD #48)
NSOCK INFO [66.3530s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #48) EID 1273
NSOCK INFO [66.3790s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 1273 [192.168.86.1:443]
Service scan sending probe LPDString to 192.168.86.1:443 (tcp)
NSOCK INFO [66.3790s] nsock_read(): Read request from IOD #48 [192.168.86.1:443] (timeout: 5000ms) EID 1290
NSOCK INFO [66.3790s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1283 [192.168.86.1:443]
NSOCK INFO [66.3830s] nsock_trace_handler_callback(): Callback: READ EOF for EID 1290 [192.168.86.1:443]
NSOCK INFO [66.3830s] nsock_delete(): nsock_delete (IOD #48)
NSOCK INFO [66.3830s] nsock_new2(): nsock_new (IOD #49)
NSOCK INFO [66.3830s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #49) EID 1297
NSOCK INFO [66.4090s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 1297 [192.168.86.1:443]
Service scan sending probe LDAPBindReq to 192.168.86.1:443 (tcp)
NSOCK INFO [66.4090s] nsock_read(): Read request from IOD #49 [192.168.86.1:443] (timeout: 5000ms) EID 1314
NSOCK INFO [66.4090s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1307 [192.168.86.1:443]
NSOCK INFO [70.1920s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 1266 [192.168.86.1:80]
NSOCK INFO [70.1920s] nsock_delete(): nsock_delete (IOD #47)
NSOCK INFO [70.1920s] nsock_new2(): nsock_new (IOD #50)
NSOCK INFO [70.1920s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #50) EID 1320
NSOCK INFO [70.1970s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 1320 [192.168.86.1:80]
Service scan sending probe NotesRPC to 192.168.86.1:80 (tcp)
NSOCK INFO [70.1970s] nsock_read(): Read request from IOD #50 [192.168.86.1:80] (timeout: 5000ms) EID 1338
NSOCK INFO [70.1970s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1331 [192.168.86.1:80]
NSOCK INFO [71.4100s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 1314 [192.168.86.1:443]
NSOCK INFO [71.4100s] nsock_delete(): nsock_delete (IOD #49)
NSOCK INFO [71.4100s] nsock_new2(): nsock_new (IOD #51)
NSOCK INFO [71.4100s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #51) EID 1345
NSOCK INFO [71.4360s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 1345 [192.168.86.1:443]
Service scan sending probe SIPOptions to 192.168.86.1:443 (tcp)
NSOCK INFO [71.4360s] nsock_read(): Read request from IOD #51 [192.168.86.1:443] (timeout: 7500ms) EID 1362
NSOCK INFO [71.4360s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1355 [192.168.86.1:443]
NSOCK INFO [71.4410s] nsock_trace_handler_callback(): Callback: READ SUCCESS for EID 1362 [192.168.86.1:443] [EOF](117 bytes)
NSOCK INFO [71.4460s] nsock_read(): Read request from IOD #51 [192.168.86.1:443] (timeout: 7490ms) EID 1370
NSOCK INFO [71.4460s] nsock_trace_handler_callback(): Callback: READ EOF for EID 1370 [192.168.86.1:443]
NSOCK INFO [71.4460s] nsock_delete(): nsock_delete (IOD #51)
NSOCK INFO [71.4460s] nsock_new2(): nsock_new (IOD #52)
NSOCK INFO [71.4470s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #52) EID 1377
NSOCK INFO [71.4700s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 1377 [192.168.86.1:443]
Service scan sending probe LANDesk-RC to 192.168.86.1:443 (tcp)
NSOCK INFO [71.4700s] nsock_read(): Read request from IOD #52 [192.168.86.1:443] (timeout: 5000ms) EID 1394
NSOCK INFO [71.4700s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1387 [192.168.86.1:443]
NSOCK INFO [75.1990s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 1338 [192.168.86.1:80]
NSOCK INFO [75.1990s] nsock_delete(): nsock_delete (IOD #50)
NSOCK INFO [75.1990s] nsock_new2(): nsock_new (IOD #53)
NSOCK INFO [75.1990s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #53) EID 1400
NSOCK INFO [75.2030s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 1400 [192.168.86.1:80]
Service scan sending probe WMSRequest to 192.168.86.1:80 (tcp)
NSOCK INFO [75.2030s] nsock_read(): Read request from IOD #53 [192.168.86.1:80] (timeout: 5000ms) EID 1418
NSOCK INFO [75.2030s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1411 [192.168.86.1:80]
NSOCK INFO [76.4710s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 1394 [192.168.86.1:443]
NSOCK INFO [76.4710s] nsock_delete(): nsock_delete (IOD #52)
NSOCK INFO [76.4710s] nsock_new2(): nsock_new (IOD #54)
NSOCK INFO [76.4710s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #54) EID 1425
NSOCK INFO [76.4980s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 1425 [192.168.86.1:443]
Service scan sending probe TerminalServer to 192.168.86.1:443 (tcp)
NSOCK INFO [76.4980s] nsock_read(): Read request from IOD #54 [192.168.86.1:443] (timeout: 5000ms) EID 1442
NSOCK INFO [76.4980s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1435 [192.168.86.1:443]
NSOCK INFO [80.2040s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 1418 [192.168.86.1:80]
NSOCK INFO [80.2040s] nsock_delete(): nsock_delete (IOD #53)
NSOCK INFO [80.2040s] nsock_new2(): nsock_new (IOD #55)
NSOCK INFO [80.2040s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #55) EID 1448
NSOCK INFO [80.2080s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 1448 [192.168.86.1:80]
Service scan sending probe oracle-tns to 192.168.86.1:80 (tcp)
NSOCK INFO [80.2080s] nsock_read(): Read request from IOD #55 [192.168.86.1:80] (timeout: 5000ms) EID 1466
NSOCK INFO [80.2080s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1459 [192.168.86.1:80]
NSOCK INFO [81.4980s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 1442 [192.168.86.1:443]
NSOCK INFO [81.4980s] nsock_delete(): nsock_delete (IOD #54)
NSOCK INFO [81.4980s] nsock_new2(): nsock_new (IOD #56)
NSOCK INFO [81.4980s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #56) EID 1473
NSOCK INFO [81.5260s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 1473 [192.168.86.1:443]
Service scan sending probe NCP to 192.168.86.1:443 (tcp)
NSOCK INFO [81.5270s] nsock_read(): Read request from IOD #56 [192.168.86.1:443] (timeout: 5000ms) EID 1490
NSOCK INFO [81.5270s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1483 [192.168.86.1:443]

```

NSOCK INFO [85.2100s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 1466 [192.168.86.1:80]
NSOCK INFO [85.2100s] nsi_delete(): nsi_delete (IOD #55)
NSOCK INFO [85.2100s] nsi_new2(): nsi_new (IOD #57)
NSOCK INFO [85.2100s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #57) EID 1496
NSOCK INFO [85.2130s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 1496 [192.168.86.1:80]
Service scan sending probe afp to 192.168.86.1:80 (tcp)
NSOCK INFO [85.2130s] nsock_read(): Read request from IOD #57 [192.168.86.1:80] (timeout: 5000ms) EID 1514
NSOCK INFO [85.2130s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1507 [192.168.86.1:80]
NSOCK INFO [86.5270s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 1490 [192.168.86.1:443]
NSOCK INFO [86.5270s] nsi_delete(): nsi_delete (IOD #56)
NSOCK INFO [86.5270s] nsi_new2(): nsi_new (IOD #58)
NSOCK INFO [86.5270s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #58) EID 1521
NSOCK INFO [86.5530s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 1521 [192.168.86.1:443]
Service scan sending probe NotesRPC to 192.168.86.1:443 (tcp)
NSOCK INFO [86.5540s] nsock_read(): Read request from IOD #58 [192.168.86.1:443] (timeout: 5000ms) EID 1538
NSOCK INFO [86.5540s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1531 [192.168.86.1:443]
NSOCK INFO [90.2150s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 1514 [192.168.86.1:80]
NSOCK INFO [90.2150s] nsi_delete(): nsi_delete (IOD #57)
NSOCK INFO [90.2150s] nsi_new2(): nsi_new (IOD #59)
NSOCK INFO [90.2150s] nsock_connect_tcp(): TCP connection requested to 192.168.86.1:80 (IOD #59) EID 1544
NSOCK INFO [90.2190s] nsock_trace_handler_callback(): Callback: CONNECT SUCCESS for EID 1544 [192.168.86.1:80]
Service scan sending probe kumo-server to 192.168.86.1:80 (tcp)
NSOCK INFO [90.2190s] nsock_read(): Read request from IOD #59 [192.168.86.1:80] (timeout: 5000ms) EID 1562
NSOCK INFO [90.2190s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1555 [192.168.86.1:80]
NSOCK INFO [91.5540s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 1538 [192.168.86.1:443]
NSOCK INFO [91.5540s] nsi_delete(): nsi_delete (IOD #58)
NSOCK INFO [91.5540s] nsi_new2(): nsi_new (IOD #60)
NSOCK INFO [91.5540s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #60) EID 1569
NSOCK INFO [91.5800s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 1569 [192.168.86.1:443]
Service scan sending probe WMSRequest to 192.168.86.1:443 (tcp)
NSOCK INFO [91.5810s] nsock_read(): Read request from IOD #60 [192.168.86.1:443] (timeout: 5000ms) EID 1586
NSOCK INFO [91.5810s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1579 [192.168.86.1:443]
NSOCK INFO [95.2200s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 1562 [192.168.86.1:80]
NSOCK INFO [95.2200s] nsi_delete(): nsi_delete (IOD #59)
NSOCK INFO [96.5830s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 1586 [192.168.86.1:443]
NSOCK INFO [96.5830s] nsi_delete(): nsi_delete (IOD #60)
NSOCK INFO [96.5830s] nsi_new2(): nsi_new (IOD #61)
NSOCK INFO [96.5830s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #61) EID 1593
NSOCK INFO [96.6100s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 1593 [192.168.86.1:443]
Service scan sending probe oracle-tns to 192.168.86.1:443 (tcp)
NSOCK INFO [96.6100s] nsock_read(): Read request from IOD #61 [192.168.86.1:443] (timeout: 5000ms) EID 1610
NSOCK INFO [96.6100s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1603 [192.168.86.1:443]
NSOCK INFO [101.6120s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 1610 [192.168.86.1:443]
NSOCK INFO [101.6120s] nsi_delete(): nsi_delete (IOD #61)
NSOCK INFO [101.6120s] nsi_new2(): nsi_new (IOD #62)
NSOCK INFO [101.6120s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #62) EID 1617
NSOCK INFO [101.6380s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 1617 [192.168.86.1:443]
Service scan sending probe afp to 192.168.86.1:443 (tcp)
NSOCK INFO [101.6380s] nsock_read(): Read request from IOD #62 [192.168.86.1:443] (timeout: 5000ms) EID 1634
NSOCK INFO [101.6380s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1627 [192.168.86.1:443]
NSOCK INFO [106.6390s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 1634 [192.168.86.1:443]
NSOCK INFO [106.6390s] nsi_delete(): nsi_delete (IOD #62)
NSOCK INFO [106.6390s] nsi_new2(): nsi_new (IOD #63)
NSOCK INFO [106.6400s] nsock_connect_ssl(): SSL connection requested to 192.168.86.1:443/tcp (IOD #63) EID 1641
NSOCK INFO [106.6650s] nsock_trace_handler_callback(): Callback: SSL-CONNECT SUCCESS for EID 1641 [192.168.86.1:443]
Service scan sending probe kumo-server to 192.168.86.1:443 (tcp)
NSOCK INFO [106.6650s] nsock_read(): Read request from IOD #63 [192.168.86.1:443] (timeout: 5000ms) EID 1658
NSOCK INFO [106.6650s] nsock_trace_handler_callback(): Callback: WRITE SUCCESS for EID 1651 [192.168.86.1:443]
NSOCK INFO [111.6660s] nsock_trace_handler_callback(): Callback: READ TIMEOUT for EID 1658 [192.168.86.1:443]
NSOCK INFO [111.6660s] nsi_delete(): nsi_delete (IOD #63)
Completed Service scan at 14:21, 92.78s elapsed (4 services on 1 host)
Packet capture filter (device en0): dst host 192.168.86.161 and (icmp or (tcp and (src host 192.168.86.1)))
Initiating OS detection (try #1) against onhub.here (192.168.86.1)
First choice open TCP port 53 is tcpwrapped. Using non-tcpwrapped port 80 for OS detection.
OS detection timingRatio() == (1440786112.127 - 1440786111.614) * 1000 / 500 == 1.028
NSE: Script scanning 192.168.86.1.
NSE: Starting runlevel 1 (of 1) scan.
Initiating NSE at 14:21
NSE: Starting rpc-grind against 192.168.86.1:443.
NSE: Starting rpc-grind against 192.168.86.1:80.
NSE: Starting skypev2-version against 192.168.86.1:443.
NSE: Finished skypev2-version against 192.168.86.1:443.
NSE: Starting weblogic-t3-info against 192.168.86.1:80.
NSE: Starting jdpw-version against 192.168.86.1:53.
NSE: Starting http-server-header against 192.168.86.1:443.
NSE: Starting http-server-header against 192.168.86.1:80.
NSE: Starting skypev2-version against 192.168.86.1:80.
NSE: Finished skypev2-version against 192.168.86.1:80.
NSE: Finished jdpw-version against 192.168.86.1:53.
NSE: [rpc-grind 192.168.86.1:443] isRPC didn't receive response.
NSE: [rpc-grind 192.168.86.1:443] Target port 443 is not a RPC port.
NSE: Finished rpc-grind against 192.168.86.1:443.
NSE: Finished weblogic-t3-info against 192.168.86.1:80.
NSE: Finished http-server-header against 192.168.86.1:443.
NSE: Finished http-server-header against 192.168.86.1:80.
NSE: [rpc-grind 192.168.86.1:80] isRPC didn't receive response.
NSE: [rpc-grind 192.168.86.1:80] Target port 80 is not a RPC port.
NSE: Finished rpc-grind against 192.168.86.1:80.
Completed NSE at 14:21, 1.60s elapsed
Nmap scan report for onhub.here (192.168.86.1)
Host is up, received arp-response (0.0034s latency).
Scanned at 2015-08-28 14:20:02 EDT for 112s
Not shown: 65531 closed ports
Reason: 65531 resets
PORT      STATE SERVICE REASON      VERSION
53/tcp    open  tcpwrapped syn-ack ttl 64
80/tcp    open  http    syn-ack ttl 64
443/tcp   open  ssl/https syn-ack ttl 64
5000/tcp  open  rtsp    syn-ack ttl 64

```

3 services unrecognized despite returning data. If you know the service/version, please submit the following fingerprints at <https://nmap.org/cgi-bin/submit.cgi?new-service> :

```
=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====
SF-Port80-TCP:V=6.49BETA4%I=7%D=8/28%T=55E0A668%P=x86_64-apple-darwin13
SF:4.0%r(GetRequest,16A0,"HTTP/1.0\x20200\x20K\r\nContent-Length:\x20B1
SF:21\r\nContent-Type:\x20text/html\r\nDate:\x20Fri,\x2028\x20Aug\x202015\
SF:x2018:20:24\x20GMT\r\n\r\n<html\x20Lang=\x20en">\x20<head>\x20<meta\x20c
SF:charset=\x20utf-8"/>\x20<meta\x20http-equiv=\x20X-UA-Compatible"/>\x20con
SF:t=\x20IE=edge"/>\x20<meta\x20name=\x20viewport"/>\x20content=\x20width=device
SF:width,\x20initial-scale=1"/>\x20<title>OnHub</title>\x20<link\x20href
SF:=\x20images/favicon.ico"/>\x20rel=\x20icon"/>\x20<link\x20href=\x20styles/on
SF:hub.css"/>\x20rel=\x20stylesheet"/>\x20<link\x20href=\x20styles/onhub-mobi
SF:le.css"/>\x20rel=\x20stylesheet"/>\x20media=\x20(max-width:740px)/>\x20<
SF:script\x20src=\x20scripts/angular.min.js"/></script>\x20<script\x20src=
SF:\x20scripts/onhub.js"/></script>\x20</head>\x20<body\x20role=\x20document\
SF:\x20ng-app=\x20onHubApp"/>\x20ng-controller=\x20onHubController"/>\x20<card
SF:\x20div\x20class=\x20logo-large"/>\x20img\x20src=\x20images/logo_onHub_l
SF:rg.png"/>\x20width=\x20234"/>\x20height=\x2073"/>\x20</div>\x20<div\x20clas
SF:s=\x20card-wrapper"/>\x20<table\x20class=\x20card-border"/>\x20<tr>\x20<td
SF:\x20class=\x20card-border-tl"/></td>\x20<td\x20class=\x20card-border-tl"/></t
SF:d>\x20<td\x20class=\x20card-border-tr"/></td>\x20</tr>\x20<tr>\x20<td\x20
SF: class=\x20card-border-l"/></td>\x20<td\x20class=\x20card-description"/>\x20
SF:<span\x20class=\x20card-text"/>\x20id=\x20card-text"/>\x20<span\x20class=\x20n
SF:g-cloak"/>\x20ng-show=\x20state\x20=\x20ONHUB_SETUP"/>\x20Welcome.\x20Do
SF:wnload\x20the\x20Google\x20on\x20app\x20to\x20get\x20started.\x20</spa
SF:n>\x20<span\x20class=\x20ng-cloak"/>\x20ng-show=\x20state\x20=\x20ONHUB_OFF
SF:LINE"/>\x20Welcome.\x20open\x20the\x20Google\x20on\x20app\x20to\x20acc
SF:ess\x20network\x20settings\x20and\x20find\x20help.\x20</span>\x20<span
SF:\x20class=\x20ng-cloak"/>\x20ng-show=\x20state"/>HTTPOptions,75,"HTTP/1.0\x20404
SF:\x20Not\x20Found\r\nContent-Length:\x209\r\nContent-Type:\x20text/plain
SF:\r\nDate:\x20Fri,\x2028\x20Aug\x202015\x2018:20:24\x20GMT\r\n\r\nNot\x2
SF:0Found")%r(RTSPRequest,75,"HTTP/1.1\x20404\x20Not\x20Found\r\nContent-
SF:Length:\x209\r\nContent-Type:\x20text/plain\r\nDate:\x20Fri,\x2028\x20A
SF:ug\x202015\x2018:20:24\x20GMT\r\n\r\nNot\x20Found")%r(Four0hFourRequest
SF:5B,"HTTP/1.0\x20404\x20Not\x20Found\r\nContent-Length:\x209\r\nDate:\x
SF:20Fri,\x2028\x20Aug\x202015\x2018:20:29\x20GMT\r\n\r\nNot\x20Found")%r
SF:(SIPOptions,75,"HTTP/1.1\x20404\x20Not\x20Found\r\nContent-Length:\x20
SF:9\r\nContent-Type:\x20text/plain\r\nDate:\x20Fri,\x2028\x20Aug\x202015\
SF:x2018:20:54\x20GMT\r\n\r\nNot\x20Found");
=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====
SF-Port443-TCP:V=6.49BETA4%I=7%D=8/28%T=55E0A668%P=x86_64-apple-d
SF:arwin13.4.0%r(GetRequest,75,"HTTP/1.0\x20404\x20Not\x20Found\r\nConte
SF:t-Length:\x209\r\nContent-Type:\x20text/plain\r\nDate:\x20Fri,\x2028\x2
SF:0Aug\x202015\x2018:20:30\x20GMT\r\n\r\nNot\x20Found")%r(HTTPOptions,75,
SF:"HTTP/1.0\x20404\x20Not\x20Found\r\nContent-Length:\x209\r\nContent-Ty
SF:pe:\x20text/plain\r\nDate:\x20Fri,\x2028\x20Aug\x202015\x2018:20:30\x20
SF:GMT\r\n\r\nNot\x20Found")%r(Four0hFourRequest,75,"HTTP/1.0\x20404\x20
SF:ot\x20Found\r\nContent-Length:\x209\r\nContent-Type:\x20text/plain\r\nD
SF:ate:\x20Fri,\x2028\x20Aug\x202015\x2018:20:30\x20GMT\r\n\r\nNot\x20Foun
SF:d")%r(RTSPRequest,75,"HTTP/1.1\x20404\x20Not\x20Found\r\nContent-Lengt
SF:h:\x209\r\nContent-Type:\x20text/plain\r\nDate:\x20Fri,\x2028\x20Aug\x2
SF:02015\x2018:20:40\x20GMT\r\n\r\nNot\x20Found")%r(SIPOptions,75,"HTTP/1
SF:.1\x20404\x20Not\x20Found\r\nContent-Length:\x209\r\nContent-Type:\x20t
SF:ext/plain\r\nDate:\x20Fri,\x2028\x20Aug\x202015\x2018:21:10\x20GMT\r\n\
SF:r\nNot\x20Found");
=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====
SF-Port5000-TCP:V=6.49BETA4%I=7%D=8/28%T=55E0A668%P=x86_64-apple-darwin
SF:13.4.0%r(GenericLines,12C,"x20501\x20Not\x20Implemented\r\nContent-Typ
SF:e:\x20text/html\r\nConnection:\x20close\r\nContent-Length:\x20149\r\nSe
SF:rver:\x20Linux/3.11.0-26-generic\x20UPnP/1.1\x20MiniUPnP/1.9\r\nExt:
SF:t:\r\n\r\n<HTML><HEAD><TITLE>501\x20Not\x20Implemented</TITLE></HEAD><B
SF:ODY><H1>Not\x20Implemented</H1>The\x20HTTP\x20Method\x20is\x20not\x20im
SF:plemented\x20by\x20this\x20server.</BODY></HTML>\r\n")%r(GetRequest,11
SF:F,"HTTP/1.0\x20404\x20Not\x20Found\r\nContent-Type:\x20text/html\r\nCo
SF:nnection:\x20close\r\nContent-Length:\x20134\r\nServer:\x20Linux/3.11.
SF:0-26-generic\x20UPnP/1.1\x20MiniUPnP/1.9\r\nExt:\r\n\r\n<HTML><HEAD
SF:><TITLE>404\x20Not\x20Found</TITLE></HEAD><BODY><H1>Not\x20Found</H1>Th
SF:e\x20requested\x20URL\x20was\x20not\x20found\x20on\x20this\x20server.<
SF:/BODY></HTML>\r\n")%r(RTSPRequest,134,"RTSP/1.0\x20501\x20Not\x20Imple
SF:mented\r\nContent-Type:\x20text/html\r\nConnection:\x20close\r\nContent
SF:-Length:\x20149\r\nServer:\x20Linux/3.11.0-26-generic\x20UPnP/1.1\x2
SF:0MiniUPnP/1.9\r\nExt:\r\n\r\n<HTML><HEAD><TITLE>501\x20Not\x20Impleme
SF:nted</TITLE></HEAD><BODY><H1>Not\x20Implemented</H1>The\x20HTTP\x20Meth
SF:od\x20is\x20not\x20implemented\x20by\x20this\x20server.</BODY></HTML>\
SF:r\n")%r(HTTPOptions,134,"HTTP/1.0\x20501\x20Not\x20Implemented\r\nCont
SF:ent-Type:\x20text/html\r\nConnection:\x20close\r\nContent-Length:\x2014
SF:9\r\nServer:\x20Linux/3.11.0-26-generic\x20UPnP/1.1\x20MiniUPnP/1.
SF:9\r\nExt:\r\n\r\n<HTML><HEAD><TITLE>501\x20Not\x20Implemented</TITLE></
SF:HEAD><BODY><H1>Not\x20Implemented</H1>The\x20HTTP\x20Method\x20is\x20
SF:t\x20implemented\x20by\x20this\x20server.</BODY></HTML>\r\n")%r(Four0h
SF:FourRequest,11F,"HTTP/1.0\x20404\x20Not\x20Found\r\nContent-Type:\x20t
SF:ext/html\r\nConnection:\x20close\r\nContent-Length:\x20134\r\nServer:\x
SF:20Linux/3.11.0-26-generic\x20UPnP/1.1\x20MiniUPnP/1.9\r\nExt:\r\n\r\n
SF:r\n<HTML><HEAD><TITLE>404\x20Not\x20Found</TITLE></HEAD><BODY><H1>Not\x
SF:20Found</H1>The\x20requested\x20URL\x20was\x20not\x20found\x20on\x20thi
SF:s\x20server.</BODY></HTML>\r\n")%r(SIPOptions,133,"SIP/2.0\x20501\x20
SF:Not\x20Implemented\r\nContent-Type:\x20text/html\r\nConnection:\x20clos
SF:e\r\nContent-Length:\x20149\r\nServer:\x20Linux/3.11.0-26-generic\x20
SF:UPnP/1.1\x20MiniUPnP/1.9\r\nExt:\r\n\r\n<HTML><HEAD><TITLE>501\x20
SF:t\x20Implemented</TITLE></HEAD><BODY><H1>Not\x20Implemented</H1>The\x20
SF:HTTP\x20Method\x20is\x20not\x20implemented\x20by\x20this\x20server.</B
SF:ODY></HTML>\r\n");
MAC Address: C4:E9:84:F4:A1:D2 (Tp-link Technologies Co.)
Device type: general purpose
Running: Linux 3.X
OS CPE: cpe:/o:linux:linux_kernel:3
OS details: Linux 3.2 - 3.19
TCP/IP fingerprint:
OS:SCAN(V=6.49BETA4%E=4%D=8/28%OT=80%CT=1%CU=30103%PV=Y%D5=1%DC=D%G=Y%M=C4E
```


OS:984%TM=55E0A6C2%P=x86_64-apple-darwin13.4.0)SEQ(SP=107%GCD=1%ISR=10F%TI=OS:Z%CI=I%II=I%TS=7)OPS(O1=M5B4ST11NW7%02=M5B4ST11NW7%03=M5B4NNT11NW7%04=M5OS:B4ST11NW7%05=M5B4ST11NW7%06=M5B4ST11)WIN(W1=7120%W2=7120%W3=7120%W4=7120OS:%W5=7120%W6=7120)ECN(R=Y%DF=Y%T=40%W=7210%0=M5B4NNSNW7%CC=Y%Q=)T1(R=Y%DFOS:=Y%T=40%S=0%A=S+F=AS%RD=0%Q=)T2(R=N)T3(R=N)T4(R=Y%DF=Y%T=40%W=0%S=A=A=ZOS:%F=R%0=%RD=0%Q=)T5(R=Y%DF=Y%T=40%W=0%S=Z%A=S+F=AR%0=%RD=0%Q=)T6(R=Y%DF=OS:Y%T=40%W=0%S=A=Z%F=R%0=%RD=0%Q=)T7(R=Y%DF=Y%T=40%W=0%S=Z%A=S+F=AR%0=%OS:RD=0%Q=)U1(R=Y%DF=N%T=40%IPL=164%UN=0%RIPL=G%RID=G%RIPCK=G%RUCK=G%RUD=G)OS:IE(R=Y%DFI=N%T=40%CD=S)

Uptime guess: 0.020 days (since Fri Aug 28 13:53:31 2015)
Network Distance: 1 hop
TCP Sequence Prediction: Difficulty=263 (Good luck!)
IP ID Sequence Generation: All zeros
Final times for host: srtt: 3382 rttvar: 1099 to: 100000

Read from /usr/local/bin/./share/nmap: nmap-mac-prefixes nmap-os-db nmap-payloads nmap-service-probes nmap-services.
OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/>.
Nmap done: 1 IP address (1 host up) scanned in 115.12 seconds
Raw packets sent: 65558 (2.885MB) | Rcvd: 65557 (2.624MB)
Rons-MBP:~ ronamadeo\$